

---

# SC153 Rudder Stock Diameter

(Feb.2000)

(Reg.II-1/29.3.3, 29.4.3 and 29.14)

1. When calculating the diameter of the rudder stock, cognizance must be taken of SOLAS II-1/29.3.3 and 29.4.3.
2. In this regard, the diameter mentioned in SOLAS II-1/29.3.3, 29.4.3 and 19.14 should be taken as having been calculated for rudder stock of mild steel with a yield strength of  $235 \text{ N/mm}^2$ . (i.e. with a material factor  $k=1$ ).

---

Note: This UI SC 153 is to be uniformly implemented by IACS Members and Associates from 1 January 2001.

